



## Spherical Roller Bearings(UK)LTD.



6212 Bearing 2D drawings and 3D CAD models

6212 6211 SKF Deep Groove Ball Bearing Made in France Fast Delivery

Bearing No. 6212

Size	110x60x22 mm
Bore Diameter	110 mm
Outer Diameter	60 mm
Width	22 mm
d	60 mm
D	110 mm
B	22 mm
d <sub>1</sub>	75.5 mm
D <sub>2</sub>	98 mm
r <sub>1,2</sub> - min.	1.5 mm
d <sub>a</sub> - min.	69 mm
D <sub>a</sub> - max.	101 mm
r <sub>a</sub> - max.	1.5 mm
Basic dynamic load rating - C	55.3 kN
Basic static load rating - C <sub>0</sub>	36 kN
Fatigue load limit - P <sub>u</sub>	1.5 kN
Reference speed	13000 r/min
Limiting speed	8000 r/min
Calculation factor - k <sub>r</sub>	0.025
Calculation factor - f <sub>0</sub>	14.3
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A



## Spherical Roller Bearings(UK)LTD.

Weight / Kilogram	0.789
EAN	7316577085481
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	60MM Bore; 110MM Outside Diameter; 22MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	6212
Weight / LBS	1.74
Bore	2.362 Inch   60 Millimeter
Outer Race Width	0.866 Inch   22 Millimeter
Outside Diameter	4.331 Inch   110 Millimeter
d <sub>1</sub>	75.5 mm
D <sub>2</sub>	98 mm
r <sub>1,2</sub> min.	1.5 mm



## Spherical Roller Bearings(UK)LTD.

$d_a$ min.	69 mm
$D_a$ max.	101 mm
$r_a$ max.	1.5 mm
Basic dynamic load rating C	55.3 kN
Basic static load rating $C_0$	36 kN
Fatigue load limit $P_u$	1.53 kN
Calculation factor $k_r$	0.025
Calculation factor $f_0$	14.3
Mass bearing	0.78 kg